





M47 P

MYLIUS YACHT SRL

	indice	
mylius M47 P	>	p 3
inboard engine	>	p 5
outboard engine	>	p 10
immagini	>	p 15











-GENERAL CONCEPT

The MY47 is a super-fast, no compromise powerboat that delivers amazing performance with clean, flowing and minimalistic lines.


The 2 x VOLVO IPS 600 inboard engines not only power this amazing craft but also allow for maximized exterior spaces, low noise and excellent maneuverability.

Guests may lounge on the two large sunbeds fore and aft, bathe from the swim platforms on both sides of the yacht, or dine in the cockpit, equipped with cooktop, fridges and comfortable seats designed for the vessel's high performance.


The interiors provide accommodation for two guests and everything needed for this type of boat.

A master cabin at the foremost part of the yacht, equipped with king size bed, various lockers and private head with separate shower stall. Aftward it is possible to add a crew cabin, with a separate access and a private head.

LOA 15,900 M HULL LENGHT 14,850 M MAX BEAM 4.2 M DRAFT 0.68 M DRY DISPLACEMENT 9,000 KG LOADED DISPLACEMENT 12,900 KG - HULL DESIGN DEADRISE ANGLE (AFT PP) 21° DEADRISE ANGLE (0.4 LWL) 24° DEADRISE ANGLE (0.7 LWL) 30.5° CATEGORY A (OCEAN) - SYSTEMS ENGINE 2 X VOLVO IPS 650 ANTI ROLL GYRO SEAKEEPER 6 WATER TANK 450 L FUEL TANK 1700 L - PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) - APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS BOILER 40 L	- KEY DIMENSIONS	
MAX BEAM 4.2 M DRAFT 0.68 M DRY DISPLACEMENT 9.000 KG LOADED DISPLACEMENT 12.900 KG - HULL DESIGN DEADRISE ANGLE (AFT PP) 21° DEADRISE ANGLE (0.4 LWL) 24° DEADRISE ANGLE (0.7 LWL) 30.5° CATEGORY A (OCEAN) - SYSTEMS ENGINE 2 X VOLVO IPS 650 ANTI ROLL GYRO SEAKEEPER 6 WATER TANK 450 L FUEL TANK 1700 L - PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) - APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	LOA	15.900 M
DRAFT 0.68 M DRY DISPLACEMENT 9.000 KG LOADED DISPLACEMENT 12.900 KG - HULL DESIGN DEADRISE ANGLE (AFT PP) 21° DEADRISE ANGLE (0.4 LWL) 24° DEADRISE ANGLE (0.7 LWL) 30.5° CATEGORY A (OCEAN) - SYSTEMS ENGINE 2 X VOLVO IPS 650 ANTI ROLL GYRO SEAKEEPER 6 WATER TANK 450 L FUEL TANK 1700 L - PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1 +1 CREW (OPT) - APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	HULL LENGHT	14.850 M
DRY DISPLACEMENT 9,000 KG LOADED DISPLACEMENT 12,900 KG - HULL DESIGN DEADRISE ANGLE (AFT PP) 21° DEADRISE ANGLE (0.4 LWL) 24° DEADRISE ANGLE (0.7 LWL) 30.5° CATEGORY A (OCEAN) - SYSTEMS ENGINE 2 X VOLVO IPS 650 ANTI ROLL GYRO SEAKEEPER 6 WATER TANK 450 L FUEL TANK 1700 L - PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1 +1 CREW (OPT) - APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	MAX BEAM	4.2 M
LOADED DISPLACEMENT 12.900 KG - HULL DESIGN DEADRISE ANGLE (AFT PP) 21° DEADRISE ANGLE (0.4 LWL) 24° DEADRISE ANGLE (0.7 LWL) 30.5° CATEGORY A (OCEAN) - SYSTEMS ENGINE 2 X VOLVO IPS 650 ANTI ROLL GYRO SEAKEEPER 6 WATER TANK 450 L FUEL TANK 1700 L - PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	DRAFT	0.68 M
- HULL DESIGN DEADRISE ANGLE (AFT PP) 21° DEADRISE ANGLE (0.4 LWL) 24° DEADRISE ANGLE (0.7 LWL) 30.5° CATEGORY A (OCEAN) - SYSTEMS ENGINE 2 X VOLVO IPS 650 ANTI ROLL GYRO SEAKEEPER 6 WATER TANK 450 L FUEL TANK 1700 L - PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	DRY DISPLACEMENT	9.000 KG
DEADRISE ANGLE (AFT PP) 21° DEADRISE ANGLE (0.4 LWL) 24° DEADRISE ANGLE (0.7 LWL) 30.5° CATEGORY A (OCEAN) - SYSTEMS ENGINE 2 X VOLVO IPS 650 ANTI ROLL GYRO SEAKEEPER 6 WATER TANK 450 L FUEL TANK 1700 L - PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) - APPLIANCES FRIDGES 1X 130 L INDUCTION COOKER 2 BURNERS	LOADED DISPLACEMENT	12.900 KG
DEADRISE ANGLE (AFT PP) 21° DEADRISE ANGLE (0.4 LWL) 24° DEADRISE ANGLE (0.7 LWL) 30.5° CATEGORY A (OCEAN) - SYSTEMS ENGINE 2 X VOLVO IPS 650 ANTI ROLL GYRO SEAKEEPER 6 WATER TANK 450 L FUEL TANK 1700 L - PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) - APPLIANCES FRIDGES 1X 130 L INDUCTION COOKER 2 BURNERS		
DEADRISE ANGLE (0.4 LWL) 24° DEADRISE ANGLE (0.7 LWL) 30.5° CATEGORY A (OCEAN) - SYSTEMS ENGINE 2 X VOLVO IPS 650 ANTI ROLL GYRO SEAKEEPER 6 WATER TANK 450 L FUEL TANK 1700 L - PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	- HULL DESIGN	
DEADRISE ANGLE (0.7 LWL) 30.5° CATEGORY A (OCEAN) - SYSTEMS ENGINE 2 X VOLVO IPS 650 ANTI ROLL GYRO SEAKEEPER 6 WATER TANK 450 L FUEL TANK 1700 L - PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	DEADRISE ANGLE (AFT PP)	21°
CATEGORY A (OCEAN) - SYSTEMS ENGINE 2 X VOLVO IPS 650 ANTI ROLL GYRO SEAKEEPER 6 WATER TANK 450 L FUEL TANK 1700 L - PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	DEADRISE ANGLE (0.4 LWL)	24°
- SYSTEMS ENGINE 2 X VOLVO IPS 650 ANTI ROLL GYRO SEAKEEPER 6 WATER TANK 450 L FUEL TANK 1700 L - PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1X 130 L INDUCTION COOKER 2 BURNERS	DEADRISE ANGLE (0.7 LWL)	30.5°
ENGINE 2 X VOLVO IPS 650 ANTI ROLL GYRO SEAKEEPER 6 WATER TANK 450 L FUEL TANK 1700 L - PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	CATEGORY	A (OCEAN)
ENGINE 2 X VOLVO IPS 650 ANTI ROLL GYRO SEAKEEPER 6 WATER TANK 450 L FUEL TANK 1700 L - PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS		
ANTI ROLL GYRO SEAKEEPER 6 WATER TANK 450 L FUEL TANK 1700 L - PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	- SYSTEMS	
WATER TANK 450 L FUEL TANK 1700 L - PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	ENGINE	2 X VOLVO IPS 650
FUEL TANK 1700 L - PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	ANTI ROLL GYRO	SEAKEEPER 6
- PERFORMANCE CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	WATER TANK	450 L
CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	FUEL TANK	1700 L
CRUISING SPEED 20 KTS MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS		
MAX SPEED 40 KTS - INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	- PERFORMANCE	
- INTERIORS CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	CRUISING SPEED	20 KTS
CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	MAX SPEED	40 KTS
CABINS 1+1 CREW (OPT) HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS		
HEADS 1+1 CREW (OPT) -APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	- INTERIORS	
-APPLIANCES FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	CABINS	1 + 1 CREW (OPT)
FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS	HEADS	1 + 1 CREW (OPT)
FRIDGES 1 X 130 L INDUCTION COOKER 2 BURNERS		
INDUCTION COOKER 2 BURNERS	-APPLIANCES	
	FRIDGES	1 X 130 L
BOILER 40 L	INDUCTION COOKER	2 BURNERS
	BOILER	40 L



INTERIOR LAYOUT | OPTIONAL AFT CABIN













-GENERAL CONCEPT

The MY47 is a super-fast, no compromise powerboat that delivers amazing performance with clean, flowing and minimalistic lines.

The stepped hull allows for control and comfort at higher speeds, thanks to the reduced trim and wetted surface area, making your voyage fast, safe and enjoyable.


The 4 x MERCURY 450R outboard engines not only power this amazing craft but also allow for maximized interior and exterior spaces.

Guests may lounge on the two large sunbeds fore and aft, bathe from the swim platforms on both sides of the yacht, or dine in the cockpit, equipped with cooktop, fridges and comfortable seats designed for the vessel's high performance.


The interiors provide accommodation up to four guests, with the optional aft cabin and everything needed for this type of boat.

A master cabin at the foremost part of the yacht, equipped with king size bed, various lockers and private head with separate shower stall. Aftward it is possible to add a guests' cabin, with a separate access, double beds and a private head.

- KEY DIMENSIONS		
LOA	15.900 M	
HULL LENGHT	14.850 M	
MAX BEAM	4.2 M	
DRAFT	0.68 M	
DRY DISPLACEMENT	9.000 KG	
LOADED DISPLACEMENT	12.900 KG	
- HULL DESIGN		
	TWIN STEPPED V	
DEADRISE ANGLE (AFT PP)	21°	
DEADRISE ANGLE (0.4 LWL)	24°	
DEADRISE ANGLE (0.7 LWL)	30.5°	
CATEGORY	A (OCEAN)	
- SYSTEMS		
ENGINE	4 X MERCURY VERADO 450	
ANTI ROLL GYRO	SEAKEEPER 6	
WATER TANK	450 L	
FUELTANK	1700 L	
- PERFORMANCE		
CRUISING SPEED	25 KTS	
MAX SPEED	57 KTS	
- INTERIORS		
CABINS	1+1GUESTS' (OPT)	
HEADS	1+1GUESTS' (OPT)	
	, ,	
-APPLIANCES		
FRIDGES	1 X 130 L	
INDUCTION COOKER	2 BURNERS	
BOILER	40 L	



INTERIOR LAYOUT | OPTIONAL AFT CABIN

















yacht design

ALBERTO SIMEONE yacht design & engineering

interior design

ALBERTO SIMEONE yacht design & engineering

graphic design

ANDREA GHENO



Mylius Yacht Srl www.mylius.it Via XXV Aprile, 19 - 29027 Podenzano (PC) - Italia Tel. +39 0523538011 Fax + 39 0523556145